


TOP VIEW Standard perforated pattern - 1,024 holes 13/32" dia.



SPECIFICATIONS

General information

- 60 cm square. Panel Weight: 6.50 lbs./ft² (311 Pa) bare.
- Panel height at corner: 1.89" (4.8 cm) without covering.
Total panel height: 2-3/8" (6.0 cm) without covering.
- Die cast aluminum construction.
- 23% open area.
- Class A flame spread rating.
- Non-combustible material.
- Available with coatings.
- Optional standard perforated patterns (refer to FF3000 specification)
- Compatible with FF1250 solids, perforated panels and grates (Refer to FF3000 specification).

UNDERSTRUCTURE OPTIONS

System Type Aluminum Base Steel Base
(Select One) (Select base)

- Stringerless Type A 5X5 Type 6
- Cornerlock Type B 6X6
- 60 cm bolted aluminum stringer Type 800

PACKAGING OPTIONS - refer to FF3000 specification

Understructure

- Standard Packaging Cleanroom Packaging

Panels

- Standard Packaging Cleanroom Packaging


COVERING OPTIONS

Tile factory laminated with trim edge or monolithic (mono)

- 1/8" HPL _____ (Color) _____ E-coated
- 1/16" HPL _____ (Color) _____ E-coated

- 1/8" Conductive vinyl* _____ (Color) _____ E-coated Mono
- 1/8" Static Dissipative* _____ (Color) _____ E-coated Mono
- 1/8" Low Emission Conductive Vinyl* _____ (Color) _____ E-coated Mono
- 1/8" Low Emission Static Dissipative* _____ (Color) _____ E-coated Mono

*Due to load limitations and nature of the tile, the product will not meet the performance specified below. Contact Tate for further information.



COATING OPTIONS

- Ni Chrome Other _____
- Epoxy Powder Coat (conductive)/(Color) _____
- Epoxy Powder Coat (non-conductive)/(Color) _____


System Performance Criteria

System performance criteria are the most important to consider because they represent the performance in a typical installation. Panel only criteria such as concentrated load is often used to specify floor systems however, the test is not representative of an actual installation because it is performed with the panel resting on blocks, not actual understructure.

System Performance Criteria (Tested on Actual Understructure)*							
System Type	Understructure	SYSTEM WEIGHT	STATIC LOADS		ROLLING LOADS		IMPACT LOADS
			Design Loads	Safety Factor (min. 2.0)	10 Passes	10,000 Passes	
FF3000 Perforated	Stringerless / Cornerlock	7.1 lbs / ft ² 34.7 kg / m ²	2000 lbs. 907 kg	Pass	1500 lbs. 680 kg	2000 lbs. 907 kg	100 lbs. 45.4 kg
	Bolted Stringer	7.4 lbs / ft ² 36.1 kg / m ²	2000 lbs. 907 kg	Pass	1500 lbs. 680 kg	2000 lbs. 907 kg	100 lbs. 45.4 kg

*System load definitions and test procedure descriptions can be found in the Standard Product Tests and Methodology Guidelocated in the Resources section of Tate's web-site, www.tateaccessfloors.com.


BOTTOM VIEW WITH OPTIONAL AIR EXACT DAMPER




AIR EXACT DAMPER

General information

- Locking feature locks damper at desired setting from top.
- Easily disassembles for cleaning.
- Adjustable from top with standard T-handle allen wrench.
- Compatible with FF1250, FF3000 perforated panels and grates.
- Opening setting is clearly visible from top.
- Same standard 5/32" T-handle allen wrench for adjusting damper and locking it in place.
- Material: Aluminum alloy 5062.
- 55 slotted openings of approximately 0.94 cm x 0.44 cm.



Tab for easy disassembly and cleaning



100 represents fully open
0 represents fully closed

DOWNWARD AIR FLOW PERFORMANCE

Standard Holes

Static Pressure (in H ₂ O)	FF3000 Perforated No Damper	Damper Percent Open							
		20%	30%	40%	50%	60%	70%	80%	100%
Airflow in CFM									
.02	521	241	294	342	385	414	431	470	490
.04	737	341	416	484	545	585	610	664	693
.06	903	417	509	592	668	717	747	814	848
.08	1042	482	588	684	771	828	862	939	980
.10	1165	539	657	764	862	925	964	1050	1095

Downward air flow performance is tested with 1/8" tile with standard 1,024 each 13/32" diameter perforation holes.